

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pistol Rail

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

According to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1

H400 Very toxic to aquatic life.

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Warning

Hazard Statement:

H400

Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

Precautionary Statements (Response):

P391

Collect spillage.

Precautionary Statements (Disposal):

P501

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

| diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Content (W/W): 3.42 %

Aquatic Chronic 3

CAS Number: 83164-33-4

H412

Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008

Aquatic Acute 1

Aquatic Chronic 1

| Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Content (W/W): 28.87 %

Aquatic Chronic 2

CAS Number: 38641-94-0

H411

EC-Number: 254-056-8

| Alcohols, C11-14-iso-, C13-rich

Content (W/W): > 0.25 % - < 2.5 %

Aquatic Acute 1

CAS Number: 68526-86-3

M-factor acute: 1

EC-Number: 271-235-6

H400

REACH registration number: 01-

2119454259-32

| (2-Hydroxypropyl)ammonium phosphate

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Content (W/W): > 0.1 % - < 1 %	Met. Corr. 1
CAS Number: 67952-32-3	Acute Tox. 4 (dermal)
	Skin Corr./Irrit. 1B
	Eye Dam./Irrit. 1
	H290, H312, H314

| Alcohols, C8-10, ethoxylated

Content (W/W): > 0.1 % - < 1 %	Acute Tox. 4 (oral)
CAS Number: 71060-57-6	Eye Dam./Irrit. 1
	H318, H302

| 1,2-benzisothiazol-3(2H)-one

Content (W/W): > 0.005 % - < 0.05 %	Acute Tox. 4 (oral)
CAS Number: 2634-33-5	Skin Corr./Irrit. 2
EC-Number: 220-120-9	Eye Dam./Irrit. 1
REACH registration number: 01-2120761540-60	Skin Sens. 1
INDEX-Number: 613-088-00-6	Aquatic Acute 1
	M-factor acute: 1
	M-factor chronic: 1
	H318, H315, H302, H317, H400

Specific concentration limit:

Skin Sens. 1: >= 0.05 %

| 1,2-Propanediol

Content (W/W): > 1 % - < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0

| Ammonium sulphate

Content (W/W): > 1 % - < 10 %
CAS Number: 7783-20-2
EC-Number: 231-984-1
REACH registration number: 01-2119455044-46

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, nitrogen oxides, hydrogen halides, phosphorus oxides

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 474 mg/m³ ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Particulate

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid, suspension

Colour: off-white to light grey opaque

Odour: odourless

Odour threshold:

not applicable, odour not perceivable

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

pH value:	approx. 4 - 6 (CIPAC standard water D, 1 %(m), 54 °C)	
Melting point:	The product has not been tested.	
Boiling point:	The product has not been tested.	
Flash point:	A flash point determination is unnecessary due to the high water content.	(Directive 92/69/EEC, A.9)
Evaporation rate:	not applicable	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	570 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	The product has not been tested.	
Density:	approx. 1.16 g/cm ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	miscible (20 °C)	
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.	
<i>Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide</i>		
<i>Partitioning coefficient n-octanol/water (log Kow): 4.2</i>		
<i>Information on: N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)</i>		
<i>Partitioning coefficient n-octanol/water (log Kow): -5.4</i>		
<i>Literature data.</i>		

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Viscosity, dynamic:	approx. 236 mPa.s (20 °C, 20 1/s)	(OECD 114)
	approx. 102 mPa.s (20 °C, 100 1/s)	(OECD 114)
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	(Regulation 440/2008/EC, A.21)

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): approx. > 2,000 mg/kg (Guideline 92/69/EEC, B.1)

No mortality was observed.

(by inhalation): Study does not need to be conducted.

LD50 rat (dermal): approx. > 2,000 mg/kg (Directive 92/69/EEC, B.3)

No mortality was observed.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (Guideline 92/69/EEC, B.4)

Serious eye damage/irritation rabbit: non-irritant (Guideline 92/69/EEC, B.5)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (Guideline 92/69/EEC, B.6)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Assessment of reproduction toxicity:

Animal studies gave no indication of a fertility impairing effect at doses which were not toxic to the parental animals.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Assessment of teratogenicity:

Causes developmental effects in animals at high, maternally toxic doses.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates:

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic plants:

EC50 (72 h) 0.015 mg/l (growth rate), *Desmodium subspicatus* (OECD Guideline 201, static)

EC50 (72 h) 0.013 mg/l (biomass), *Desmodium subspicatus* (OECD Guideline 201, static)

No observed effect concentration (72 h) 0.0040 mg/l (growth rate), *Desmodium subspicatus* (OECD Guideline 201, static)

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Toxicity to fish:

*LC50 (96 h) > 0.0985 mg/l, *Cyprinus carpio* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)*

The LC50 is higher than the solubility limit.

*LC50 (96 h) > 0.109 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)*

The LC50 is higher than the solubility limit.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Toxicity to fish:

*LC50 (96 h) > 1,000 mg/l, *Oncorhynchus mykiss**

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Aquatic invertebrates:

EC50 (48 h) > 0.24 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The EC50 is higher than the solubility limit.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Aquatic invertebrates:

EC50 (48 h) 930 mg/l, Daphnia magna

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Bioaccumulation potential:

Bioconcentration factor: 1,276 (28 d), Oncorhynchus mykiss (OECD-Guideline 305)

Significant accumulation in organisms is not to be expected.

Bioconcentration factor: 1,596 (28 d), Oncorhynchus mykiss (OECD-Guideline 305)

Significant accumulation in organisms is not to be expected.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Glyphosate-isopropylamine (ISO); N-(Phosphonomethyl)glycine, compound with 2-propylamine (1:1)

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIFLUFENICAN SOLUTION)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

RID

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIFLUFENICAN SOLUTION)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIFLUFENICAN SOLUTION)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

Sea transport

IMDG

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIFLUFENICAN SOLUTION)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: None known

Air transport

IATA/ICAO

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIFLUFENICAN SOLUTION)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

The following provisions may apply for product in packages containing a net quantity of 5 L or less
ADR, RID, ADN: Special Provision 375;

IMDG: 2.10.2.7;

IATA: A197;

TDG: Special Provision 99(2);

49CFR: §171.4 (c) (2).

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: E1

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

This product is classified under the European CLP Regulation. (United Kingdom)

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Met. Corr.	Corrosive to metals
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H412	Harmful to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H290	May be corrosive to metals.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 07.04.2020

Version: 2.0

Date previous version: 14.12.2018

Previous version: 1.0

Product: **Pistol Rail**

(ID no. 30703338/SDS_CPA_GB/EN)

Date of print 18.11.2020

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.